

Dante PoE 6-Inch Active Ceiling Loudspeaker



S-TRACK® is top 3 audio system factory in China. S-TRACK® Dante PoE 6-Inch Active Ceiling Loudspeaker(EAGLE XDP6) has built-in power amplifier module and digital signal processing, supporting PoE power and Dante transmission, single channel, 60W @ 4 ohms. S-TRACK® Dante PoE 6-Inch Active Ceiling Loudspeaker(EAGLE XDP6) can do OEM for customer, make customize logo, production volume for one model will be 1000pcs per day. Leadtime is 15days

S-TRACK® Dante PoE 6-Inch Active Ceiling Loudspeaker(EAGLE XDP6) Product Introduction:

S-TRACK® Dante PoE 6-Inch Active Ceiling Loudspeaker(EAGLE XDP6)'s PoE module has an integrated DSP that includes gain control, mute control, level, temperature display, 5-band equalizer control, and amplitude limiting control. The PoE module uses Dante network protocol, 24-bit high-quality audio (44.1K/48KHz) and control signals can be sent through Dante and controlled by DanteController.

S-TRACK® Dante PoE 6-Inch Active Ceiling Loudspeaker(EAGLE XDP6) Product Parameters:

Coverage Angle	100° circular vertebrae coverage
Frequency Range (-3DB)	80HZ-20KHZ
Maximum Sound Pressure Level	105

Sensitivity(DB)	90
Rated Power	60W
Impedance	4Ω
Size	Ø256mm,thickness 210mm
Cut-Size	Ø225mm
Weight	3.5Kg

S-TRACK® Dante PoE 6-Inch Active Ceiling Loudspeaker(EAGLE XDP6) Main Features:

1. Built-in amplifier module, digital signal processing.
2. Support for POE power and Dante transmission, single channel, 60W@4 ohms.
3. PoE module with Dante™ network protocol, 24-bit high quality audio (44.1K/48KHz) and control signals can be sent via Dante™ and controlled via Dante™Controller.
- ★4. The module has an integrated DSP containing gain control, mute control, level, temperature display, 5-band equalizer control and limit control functions.
5. All functions can be controlled by the Dante-Controller from a PC or Mac.
6. 6.5" bass + 1" tweeter driver.
7. White front magnetic wire mesh for easy removal and installation.
8. ABS plastic cabinet with back cover to protect the speakers from external damage and increase the sound quality.
9. 4 Ceiling mounting clip lock.

S-TRACK® Dante PoE 6-Inch Active Ceiling Loudspeaker(EAGLE XDP6) Applications:

Ceiling speakers, generally installed on the ceiling, are used in background music and conference systems. The advantage is that the speakers can be installed after the system is installed.

